PTO/SB/08A (10-98) Approved for use through 10/31/99. OMB 0651-0031

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE aperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE
STATEMENT BY APPLICANT

(use as many sheets as necessary)

Application Number

Filing Date

First Named Inventor

Group Art Unit

1

Sheet

1

| Complete If Known      |                  |  |  |  |
|------------------------|------------------|--|--|--|
| Application Number     | 10/656,545       |  |  |  |
| Filing Date            | 9/5/2003         |  |  |  |
| First Named Inventor   | Thomas A. DeBusk |  |  |  |
| Group Art Unit         | 1724             |  |  |  |
| Examiner Name          |                  |  |  |  |
| Attorney Docket Number | 90084            |  |  |  |

| U.S. PATENT DOCUMENTS |                          |  |  |  |  |
|-----------------------|--------------------------|--|--|--|--|
| Examiner<br>Initials* | Cite<br>No. <sup>1</sup> | U.S. Patent Document  Kind Code <sup>2</sup> Number (if known) | Name of Patentee or Applicant<br>of Cited Document | Date of Publication of<br>Cited Document<br>MM-DD-YYYY | Pages, Columns, Lines,<br>Where Relevant<br>Passages or Relevant<br>Figures Appear |
| FAIA                  | AA                       | 5,733,453  | DeBusk   | Mar. 31, 1998  | <u>-</u>   |
|                       | AB                       | 5,766,474  | Smith et al.                                       | June 16, 1998  |  |
|                       | AC                       | 5,993,649  | DeBusk et al.                                      | Nov. 30, 1999  |  |
| ./                    | AD                       | 6,413,426  | DeBusk et al.                                      | July 02, 2002  |  |
| PAYA                  | AE                       | 6,692,641  | DeBusk et al.                                      | Feb. 17, 2004  |  |
|                       | <u> </u>                 |  | <u>L</u>   |  |  |

| OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS |    |  |    |  |
|---|----|--|----|--|
| Examiner<br>Initials                              |    |  | T² |  |
| Pa4   | AF | Lake Apopka Water Hyacinth Demonstration Project, Second Semi-Annual Report prepared for St. Johns River Water Management District, prepared by Amasek, Inc., April 4, 1991  |    |  |
|   | AG | DEBUSK et al., "Effectiveness of Mechanical Aeration in Floating Aquatic Macrophyte-Based Wastewater Treatment Systems," Journal of Environmental Quality, Vol. 18, no.3, pps. 349-354, July-September 1989.   |    |  |
|   | АН | CLARK, Mark, "Biophysical Characterization of Floating Wetlands (Flotant) and Vegetative Succession of a Warm-Temperature Aquatic Ecosystem," Dissertation, University of Florida 2000.  |    |  |
|   | AI | WEN, Li and RECKNAGEL, Friedrich, "In Situ Removal of Dissolved Phosphorus in Irrigation Drainage Water by Planted Floats: Preliminary Results from Growth Chamber Experiment," Agriculture, Ecosystems and Environment, Vol. 90, pp. 9-15, June 2002. |    |  |
| PONA  | AJ | YOUNGCHUL, Kim and WAN-JOONG, Kim, "Roles of Water Hyacinths and Their Roots for Reducing Algal Concentration in the Effluent from Waste Stabilization Ponds," Water Research, Vol. 34, No. 13, pp. 3285-3294, 1 Sept. 2002.                           |    |  |

| Examiner<br>Signature | P.A. HRUSKOCI | Date<br>Considered | 3/8/05 |
|-----------------------|---------------|--------------------|--------|

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

<sup>&</sup>lt;sup>1</sup> Unique citation designation number. <sup>3</sup> See attached Kinds of U.S. Patent Documents. <sup>3</sup> Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 
<sup>4</sup> For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. <sup>3</sup> Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. <sup>4</sup> Applicant is to place a check mark here if English language Translation is attached.